

Evaluation of Environment Radiation Monitoring Results

Original released on September 5, 2011
Nuclear Safety Commission

Nuclear Safety Commission (NSC) evaluates the Environmental Monitoring Results published by Ministry of Education, Culture, Sports, Science and Technology (MEXT). The evaluation results based on the information published between September 1 and 4, 2011 are described as below:

1. Ambient radiation dose around Fukushima Dai-ichi NPP

- Observation of ambient radiation dose rate at 20km or further from Fukushima Dai-ichi NPP found relatively higher dose rates locally at several measuring points. They however do not reach the level that might affect people's health.
- A part of the area at 20km or further from Fukushima Dai-ichi NPP where the integrated dose is so high that annual cumulative dose after the onset of the accident would potentially exceed 20mSv, was set to be "Deliberate Evacuation Area".
- High ambient dose spots not having regional extent as "Deliberate Evacuation Area", outside of "Deliberate Evacuation Area" and "Restricted Area", where ambient radiation dose rate is continually so high that their annual cumulative dose after the onset of the accident would exceed 20mSv are set to be "Specific Spots Recommended for Evacuation".

We need to further watch a variation of dose rate carefully, considering other factors such as weather and wind direction.

2. Dust sampling in the air around Fukushima Dai-ichi NPP

- With regard to the measuring result of the dust samples collected at 20km or further from Fukushima Dai-ichi NPP between August 29 and 31, I-131, Cs-134, Cs-137, I-132, Te-132 and other radioactive materials were lower than the detection limit.

We need to further watch variations of dust sampling data carefully, considering other factors such as weather and wind direction.

3. Airborne monitoring

- No additional information was published regarding the airborne monitoring result.

4. Environmental sample around Fukushima Dai-ichi NPP

- Monitoring results collected between August 29 and September 3 were obtained on the weed, land water, soil and fallout. The soil still showed relatively higher values. We further need continued measurement on the drinking water (tap water) and foods.
- With regard to the evaluation of soil distribution map on radioactive cesium released by the MEXT on August 30, please refer to the meeting minute of the 66th Extraordinary Meeting of NSC (available only in Japanese).

- With regard to the measuring results of seawater collected around Fukushima Dai-ichi NPP ,at the coast of Ibaraki prefecture and at off-shore of Miyagi prefecture on August 30 and 31, Cs-137 was detected at a point closest to the NPP. It was lower than the concentration limit (Note 1). The other points were lower than the detection limit.
- With regard to the measuring results of seawater collected around Fukushima Dai-ichi NPP on August 15, Sr-89 and Sr-90 were detected. They were lower than the concentration limit (Note 1). It seems that detected Strontium was released from Fukushima Dai-ichi NPP, because Sr-89 with a short half-life period was detected.
- With regard to the measuring results of seawater collected around Fukushima Dai-ichi NPP on August 15, Pu-238, Pu-239 and Pu-240 were lower than the detection limit. However, we cannot evaluate the effect of incident from the detection limit.

It is a matter of concern both domestically and internationally to grasp the concentration and distribution of radiological materials in marine environment. As the NSC showed in the report entitled “The Basic Ideas for Future Radiation Monitoring” on July 21, it is necessary to adopt the detection limits established for investigating the radioactivity level in the environment.

For the food distribution restrictions, be aware of the information announced by the Ministry of Health, Labor and Welfare (MHLW) regarding relevant intervention.

We also need to continue environmental monitoring by related organizations under the arrangement by MEXT, considering various elements such as weather change.

5. Environmental radioactivity level survey by prefecture

1) Ambient radiation dose rate

Some prefectures showed higher values compared with the average values obtained before the accident, however, their values do not affect people’s health.

2) Drinking water (tap water)

- Be aware of the information on relevant intervention announced by the MHLW.
- As far as the data on radioactivity level in drinking water by prefecture published by MEXT was evaluated, radioactive iodine and cesium were lower than the detection limit. They were lower than the indices to limit ingestion of food and drink (Note 2).

We consider that further monitoring is needed on a continuous basis.

(Note)

(Note 1) Limits of the radioactivity in the water outside the peripheral monitoring area boundary as specified by the law are $4 \times 10^{-2} \text{Bq/cm}^3$ (40Bq/L) for I-131, $6 \times 10^{-2} \text{Bq/cm}^3$ (60Bq/L) for Cs-134, $9 \times 10^{-2} \text{Bq/cm}^3$ (90Bq/L) for Cs-137, $3 \times 10^{-1} \text{Bq/cm}^3$ (300Bq/L) for Sr-89, and $3 \times 10^{-2} \text{Bq/cm}^3$ (30Bq/L) for Sr-90.

(Note 2) Indices to limit ingestion of drinking water shown on “Regulatory Guide of Emergency Preparedness for Nuclear Facilities” are 300Bq/kg for radioactive iodine and 200Bq/kg for radioactive cesium.

Agenda for the 67th Ordinary Meeting of the Nuclear Safety Commission

2:00pm on September 5, 2011
Meeting Room #643, NSC

1. Result of the briefing about the Survey on Thyroid Exposure for Infants
(Report by the Nuclear Emergency Response Headquarters & Discussion)

2. Acceptance of the report of the events in Tokai Dai-ni NPP based on the law by The Japan Atomic Power Company
(Report by NISA & Discussion)

3. Report on Radiation Control in nuclear facilities (FY2010 2nd half)
(Report by NISA & Discussion)

4. Report on Environmental Radioactivities around reprocessing facilities (FY2010 4th quarter)
(Report by NISA & Discussion)

5. Report on radioactive waste management and worker's dose control in nuclear facilities (FY2010)
(Report by NISA & Discussion)

6. Addition to the member of Special Committee for Nuclear Safety Standards and Guides
(Report by Secretariat)

7. Others